

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,032,265 B2
APPLICATION NO. : 10/764903
DATED : April 25, 2006
INVENTOR(S) : Troy Miller

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, Item (57)

Abstract, line 3, "...a large base o fit between the mattress..." change to -- a large base to fit between the mattress --

Column 1, line 17, "...disabilities and affirmatives incident to accidents..." change to -- disabilities and infirmities incident to accidents --

Column 1, line 23, "...Devices and method for assisting people..." change to -- Devices and methods for assisting people --

Column 1, line 25, "...tend to fall into two brad categories." change to -- tend to fall into two broad categories --

Column 1, line 31, "...designed to raised and lower the respective furniture..." change to -- designed to raise and lower the respective furniture --

Column 1, line 43, "...cause the device to awkward to store..." change to -- cause the device to be awkward to store --

Column 1, line 59, "...it does not offer the use any significant..." change to -- it does not offer the user any significant --

Column 2, line 14, "...standing positions at which point..." change to -- standing position at which point --

Column 2, line 19, "...sit or stand on their own there is not going back. If the..." change to -- sit or stand on their own. There is no going back. If the --

Column 2, line 46, "...to provide novel device to assist individuals..." change to -- to provide a novel device to assist individuals --

Column 2, line 48, "...sleep on that has a handle that can grab a hold of and adjust..." change to -- sleep on that has a handle that an individual can grab a hold of and adjust --

Column 2, line 56, "...to allow the use the most advantage possible..." change to -- to allow the user the most advantage possible --

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,032,265 B2
APPLICATION NO. : 10/764903
DATED : April 25, 2006
INVENTOR(S) : Troy Miller

Page 2 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 1, "...of the present invention a novel device to assist..." change to -- of the present invention is to provide a novel device to assist --

Column 3, line 13, "...further aspect of this invention is to provide..." change to -- further aspect of this invention to provide --

Column 3, line 25, "...and other aspect and advantages of the invention..." change to -- and other aspects and advantages of the invention --

Column 3, line 31, "...a bracket for hingeable attaching to handle to the base and a strap..." change to -- a bracket for hingeably attaching the handle to the base and a strap --

Column 3, line 47, "...extends above ad horizontal to and..." change to -- extends above and horizontal to and --

Column 3, line 50, "...the users hand on the device as well as..." change to -- the user's hand on the device as well as --

Column 3, line 53-56, "...The second end of the handle contains a plurality of holes or perforations. The second end of the handle contains a plurality of holes or perforations and is advantageously designed to be permanently and hingeably attached to the bracket in a manner that allows it to hinge relative to base." change to -- The second end of the handle contains a plurality of holes or perforations and is advantageously designed to be permanently and hingeably attached to the bracket in a manner that allows it to hinge relative to base --

Column 3, line 60, "...accept the send end of the handle." -- change to accept the second end of the handle --

Column 4, line 19, "...also completed and fall with in the purview..." change to -- also completed and fall within the purview --

Column 4, line 23, "...to attach tot eh bed frame or other rigid..." change to -- to attach to the bed frame or other rigid --

Column 4, line 31, "...the base from slipping our from between..." change to -- the base from slipping out from between --

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,032,265 B2
APPLICATION NO. : 10/764903
DATED : April 25, 2006
INVENTOR(S) : Troy Miller

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, line 35, "... with the handle in order to positions himself or herself..." change to -- with the handle in order to position himself or herself --

Column 4, line 42, "...handle until her or she acquires the necessary stability or is otherwise..." change to -- handle until he or she acquires the necessary stability or is otherwise --

Column 5, lines 9-10, "...will be rendered y reference to the specific embodiments thereof..." change to -- will be rendered with reference to the specific embodiments thereof --

Column 5, line 30, "...the device in relation to standard bed with the strap..." change to -- the device in relation to a standard bed with the strap --

Column 6, line 4, "...now made to the drawings where in like numerals..." change to -- now made to the drawings wherein like numerals --

Column 6, line 52-54, "...One skilled in the art will immediately recognize that the plurality of holes or perforations 54. One skilled in the art will immediately recognize that the plurality of holes or perforations 54 are designed to line up the plurality of holes or perforations 32 in the base 12 for purposes of anchoring the bracket 16 to the base 12." change to -- One skilled in the art will immediately recognize that the plurality of holes or perforations 54 are designed to line up with the plurality of holes or perforations 32 in the base 12 for purposes of anchoring the bracket to the base 12 --

Column 6, line 64, "...52 is u-shaped member 50 are in ninety-degree orientation..." change to -- 52 and the u-shaped member 50 are in ninety-degree orientation --

Column 6, line 65, "...each other and, one skilled in the art, will immediately..." change to -- each other and one skilled in the art, will immediately --

Column 7, line 56, "...increasing pressure, pull them self into a sitting..." change to -- increasing pressure, pull themselves into a sitting --

Column 7, line 59, "...necessary pressure to pull them selves from a..." change to -- necessary pressure to pull themselves from a --

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,032,265 B2
APPLICATION NO. : 10/764903
DATED : April 25, 2006
INVENTOR(S) : Troy Miller

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, line 62, "...have attained enough stability of confidence to begin..." change to -- have attained enough stability or confidence to begin --

Column 7, line 63, "...walking away from the bed chair or like piece..." change to -- walking away from the bed, chair or like piece --

Column 7, line 65, "...generally, there are illustrated another embodiment..." change to -- generally, there is illustrated another embodiment --

Column 8, line 35, "...generally u-shaped member 150 and 152, respectively that are coupled to..." change to -- generally u-shaped member 150 and 152, respectively, that are coupled to --

Column 8, line 59, "...is now acting as an axel, so that the handle..." change to -- is now acting as an axle, so that the handle --

Column 9, line 17-18, "...pressure to allow them self to ease into a sitting..." change to -- pressure to allow themselves to ease into a sitting --

Column 9, line 27, "...from the bed chair or like piece of furniture." change to -- from the bed, chair or like piece of furniture --

Column 9, line 30, "...device 210, has a base 212, illustrated as..." change to -- device 210 has a base 212, illustrated as --

Column 9, line 41, "...Two axels 226, illustrated as two bolts..." change to -- Two axles 226, illustrated as two bolts --

Column 9, line 47, "...spring loaded to be pull in a vertically..." change to -- spring loaded to be pulled in a vertically --

Column 9, line 56, "...get into the desire position, but to..." change to -- get into the desired position, but to --

Column 10, line 16, "...the bracket 316 by a fixed axel 320 handle..." change to -- the bracket 316 by a fixed axle 320 handle --

Column 10, line 22, "...to the axel 320 so that the handle is parallel..." change to -- to the axle 320 so that the handle is parallel --

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,032,265 B2
APPLICATION NO. : 10/764903
DATED : April 25, 2006
INVENTOR(S) : Troy Miller

Page 5 of 5


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 23, "...The axel 320 is positioned sufficiently above the top..."
change to -- The axle 320 is positioned sufficiently above the top --

Column 10, line 32-33, "...Although the preferred embodiment of the present invention have been illustrated and described..." change to -- Although the preferred embodiments of the present invention have been illustrated and described --

Signed and Sealed this

Twenty-first Day of August, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looping initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office